



CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0053-22

This is to certify that

A Y M SEGURIDAD Y SUPERVIVENCIA EN EL MAR S.A.C.

Address : AV. SANTA ROSA 791/793 – LA PERLA - CALLAO

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

**The servicing Inflatable liferafts, Inflatable lifejackets, Hydrostatic release units, Inflatable rescue boats
Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear**

This certificate is valid until **2025.10.17**

Issued at **Busan** on **2022.10.18**

See the appendix for details regarding manufacturer authorizations, etc



This certificate is signed electronically in accordance with IMO FAL.5/Circ.39/Rev.2. Validation and authentication of the certificate can be confirmed from "<http://e-cert.krs.co.kr>" by using the tracking No.(ME22037462310) and certificate No.(HDOLS005322).



KOREAN REGISTER

General Manager of
Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

- (1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
- (2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
- (3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
- (4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
- (5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
- (6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:

- (1) Where the service provided is improperly carried out or the results are improperly reported.
- (2) Where the Society's surveyor has found major deviations in the operating system of the firm.
- (3) Where the supplier fails to inform of any alteration to the operation system to this Society.
- (4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
- (5) Where wilful acts or omissions are ascertained.
- (6) Where the approval fees are not paid.



APPENDIX I

No. : HDOLS-0053-22

The service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Inflatable Life rafts & HRU(Hydrostatic Release Units), Inflatable Life jackets

a) Inflatable Life rafts

- SURVITEC (DSB, RFD, ZODIAC)
- VIKING LIFE-SAVING EQUIPMENT A/S
- LALIZAS HELLAS S.A.
- NINGBO NEPTUNE LIFE-SAVING EQUIPMENT CO., LTD.
- SEAMAN SAFETY
- SHANGHAI YOULONG RUBBER PRODUCTS CO., LTD.
- FUJIKURA COMPOSITES INC.
- NINGBO ZHENHUA LIFE SAVING EQUIPMENT CO.
- JIANGSU HAINING MARINE EQUIPMENT CO.,LTD.

b) HRU (Hydrostatic Release Units)

- FUJIKURA COMPOSITES INC.

b) Inflatable Life jackets

- LALIZAS HELLAS S.A.
- NINGBO ZHENHUA LIFE SAVING EQUIPMENT CO.

B. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type

The service supplier has been certified or licensed to conduct maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment, as follow, in accordance with Res.MSC.402(96)

- BALDEN DENIZCILIK SAN.TIC.LTD.STI. /

Rescue Boats : BD-R01, BD-R02

Totally Enclosed Lifeboats : BD-LBC1, BD-LBC2, BD-LBT1, BD-LBT2

Freefall Lifeboats : BD-FFC1, BD-FFC2, BD-FFT1, BD-FFT2, BD-FFC505, BD-FFT505

LRRS Systems : BD-LBHR5, BD-LBHR10, BD-LBHR12

Release Hooks : BD-HR1, BD-HR38

- WUXI HAI HONG BOAT MAKING CO.,LTD /

TOTALLY ENCLOSED LIFE/RESCUE BOAT SERIES: HH70C, HH70T (QFP7.0/QFN7.0), HH85CS,



Endorse



APPENDIX I

No. : HDOLS-0053-22

HH85TS(QFP8.5/QFN8.5), HH65CS, HH65TS(QFP6.5/QFN6.5), HH75CS, HH75TS(QFP7.5/QFN7.5), HH80CS, HH80TS(QFP8.0/QFN8.0), HH65C, HH65T(QFP(H)6.5/QFN(H)6.5), HH50C, HH50T, HH53C, HH53T(QFP(H)5.3), HH75C(QFP(H)7.5), HH85C, HH85T, HH57C, HH57T
FREEFALL LIFEBOAT SERIES: HH59FC, HH59FF, HH76FC, HH76FF
RESCUE BOAT SERIES: GJ4.5B, GJ4.5B1
HIGH SPEED RESCUE BOAT SERIES: GJ618A, GJ618B
RELEASE GEAR SERIES: HH76, HH43, HH30, HH20

- DSB ENGINEERING CO., LTD. /

Gravity type Lifeboat : DSB50F/C, DSB58F/C, DSB60F/C, DSB75F/C, DSB85F/C, DSB95F/C, DSB150F/C
Gravity type Davit : DSB60DL, DSB85FDL, DSB138DL, DSB205DL
Hydraulic type Davit : DSB150DYL
Freefall type Lifboat : DSB49FF/FC, DSB59FF/FC, DSB75FF/FC
Freefall type Davit : DSB70DF, DSB85DF
Rescue boat : DSB40R, DSB60RA/RB
Rescue boat Davit : DSB23DR, DSB30ARH, DSB18/27DR

- ZHENJIANG JUST MARINE EQUIPMENT CO., LTD. /

Rescue boat : ZJM40R, ZJM45R
Fast Rescue boat : ZJM618
Lifeboat : ZJM50C, ZJM50F, ZJM57C, ZJM57F, ZJM65C, ZJM65F, ZJM75C, ZJM75F
Free fall lifeboat : ZJM59FC, ZJM59FF, ZJM66FC, ZJM66FF
Davit : SA21, SA23, SA30, FR21, FR30, L40, L57, L67, L90, PA65, PA85, FH70, FH90

- JIANGYIN WOLONG F.R.P BOAT CO.,LTD /

TOTALLY ENCLOSED LIFEBOAT:

JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA, JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102/F, JY117C/F ;

FREE FALL LIFEBOAT:

JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF ;

RESCUE BOAT:

JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR ;

PARTIALLY ENCLOSED LIFEBOAT: JY70P, JY80P, JY85P ;

OPEN TYPE LIFEBOAT:

JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K, JY85K ;

GRAVITY LUFFING ARM TYPE DAVIT:

JY-LE65, JY-LE85, JY-LE100, JY-LE150 ;

LAUNCHING APPLIANCE OF FREE-FALL LIFEBOAT:

JY-FH55, JY-FH70, JY-FH90, JY-FH155 ;

PLATFORM DAVIT: JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215



Endorse



APPENDIX I

No. : HDOLS-0053-22

SINGLE ARM BOAT / RAFT DAVIT:

JY-SAF21, JY-SAF23, JY-SA23S, JY-SA37S, JY-SR33S, JY-SAF33, JY-HSR23/16, JY-HSR33/23,
JY-FCR2066, JY-FCR2305 ;

RESCUE BOAT DAVIT: JY-PLR21, JY-LFR27, JY-LRHE30, JY-LRHE70, JY-LFR35, JY-SAP14, JY-SAP30
;

GRAVITY OVERHEAD ROLLING TYPE DAVIT:

JY-HE70, JY-HE95, JY-HE120, JY-HE155 ;

TELESCOPIC BOOM TYPE DAVIT: JY-TBD 120, JY-TBD 215, JY-TBD35

HYDRAULIC LUFFING ARM TYPE DAVIT:

JY-GYE70, JY-GYE120, JY-GYE185 ;

CONNECTING ROD TYPE DAVIT:

JY-GL70, JY-GL95, JY-GL120, JY-GL185 ;

WINCH:JY-SAP14,JY-D23Z,JY-D23/16Z,JY-SAFC23,JY-D33/

23Z,JY-SAF33,JY-LRHE30,JY-PLR21,JY-LFR27,JY-LRHE70,JY-D50S/Z,JY-D70S/Z,JY-D85S/
Z,JY-D110S/Z,JY-DW125S,JY-DP110S/Z,JY-DP150/Z, JY-DP185, JY-DP215 ;

- VADYAR BOATS PVT LTD. /

Lifeboats :

VB 9.2 mtr 70 Persons Capacity Totally Enclosed Fire protected Lifeboat.

VB 8.5 mtr 60 Persons Capacity Totally Enclosed Lifeboat.

VB 8.5 mtr 60 Persons Capacity Partially Enclosed Lifeboat.

VB 7.5 mtr 50 Persons Capacity Partially Enclosed Lifeboat.

Rescue Boat :

VB 4.7 mtr 9 Persons Fast Rescue Boat.

VB 4.5 mtr 6 Persons Rescue Boat.

Launching Appliances :

VB 10 Ton Davit and Winches.

VB 1 Ton Single Arm Davit and Winches.

On-Load Release Gears :

VB Lifeboat On-load Release Gear. (Safe Working Load 6 Tons)

VB Rescue Boat On-load Release Mechanism. (Safe Working Load 1.3 Tons)



Endorse



APPENDIX I

No. : HDOLS-0053-22

Company :
Address :
Tel :
Fax :
E-mail :
Country :
City :
KR-Branch :